### **Post-Operative Instructions for Modified Hoffer Transfer**

# Purpose of surgery

The goal of the operation is to rebalance the shoulder joint in your child by transferring muscles from the 'front' of the shoulder to the 'back' of the shoulder. These transferred muscles are the latissimus dorsi and the teres major. Along with lengthening the pectoralis major muscle from the front and decompressing the axillary nerve which powers the deltoid muscle, the ultimate consequence is to try to restore your child's ability to elevate his/her arm and externally rotate it.

## What to expect after surgery?

Your child will have a large cast that is called an upper extremity SPICA cast. This cast will wrap around their torso and extend up across the operative shoulder all the way across the wrist. It is designed to hold the operative extremity in a 'Statue of Liberty' position – this is a position of rest for the tendon/muscle transfer to allow it to heal without tension. This cast will stay on for 6 weeks. Believe it or not, your child will adjust to this cast guickly.

You can expect that your child will be uncomfortable for about 2-3 days and will likely require pain medication during that time.

## What should you do to help your child recover?

Encourage your child to keep their fingers moving. Allow them to return to 'normal' activities as soon as they feel comfortable (see the next section for restrictions).

Keep your child's pain under control. You can expect the worst of the discomfort to be over after about 2-3 days. Please make sure you are giving your child pain medicine as prescribed for the first day, and then you can decide on days 2-3 and beyond how much he/she needs. I will not be surprised if he/she still needs prescription pain medicine to some degree into days 2 and 3 − they may even need it on occasion after that. By day 2 or 3, you can try over the counter children's ibuprofen (Advil™, Motrin™). You can also try children's acetaminophen (Tylenol™); but, beware that the prescription pain medicine also contains acetaminophen, and I do not want him/her to get too much. Please refer to the website for general guidelines on pain control for further information (www.HandCenterGA.com).

# How should you take care of your child's dressing?

The cast must stay clean and dry. You will need to towel bathe your child as there is no way to water-proof the cast. Please refer to the website for general cast precautions and helpful hints (www.HandCenterGA.com).

#### What should concern you?

Please refer to our website (www.HandCenterGA.com) for helping you to understand our general concerns following any operation. If your child is not moving their fingers – please inform me. Also, if you notice any areas of skin around the cast that look chaffed or 'raw,' please inform me as well. Remember,

there is always someone available day/night, weekends and holidays at 404-255-0226.

## When should you come in for your first Post-operative visit?

Your child's first visit will be within 7-10 days of the operation. That visit should be arranged during your pre-operative appointment. If not, call 404-255-0226 to make that appointment. So, you understand, we will simply be checking the cast and making any necessary adjustments. I will not remove the cast for 6 weeks from surgery.

#### Will he/she need therapy?

A formal, supervised therapy program is critical to help your child maximize the results of the operation. At the first post-operative visit, I will provide you with the referral to one of our own therapists, a local therapist, or another qualified therapist convenient to you.

The SPICA cast will come off at 6 weeks, and therapy should commence within a week thereafter. We will replace the cast with a splint that will place your child's arm in the 'Statue of Liberty' position to act as a transitional device from full time casting to complete 'freedom.' I will ask that your child wear this splint at night for an additional 6 weeks to help protect the transfers. Usually, your child will need some transitioning from the cast to part-time splinting before they can go all day without the splint.

## What activities can your child do?

While your child will start engaging in their normal activities as soon as they feel comfortable, I will ask you to place specific restrictions upon them. They can return to daycare or school as soon as they are comfortable but should avoid outdoor play if there is risk they may get the cast dirty/muddy. They should not engage in any activities where there is a likelihood of falling, like, sports, physical education, or playing on playground equipment. This is because the SPICA cast prevents them from using their arms to brace themselves properly should they fall – and, I do not want them falling with enough force to injure themselves.